

Safety Data Sheet

according to the Model Work Health and Safety Regulations Date of issue: 15/11/2018 Revision date: 15/11/2018

Version: 1.1

SECTION 1: Identification : Product identifier and chemical identity **Product identifier** 1.1. Trade name : Harris Haematoxylin Product code : 3801560E, 3801561E, 3801562E, 3801560BBE 1.2. Other means of identification No additional information available Recommended use of the chemical and restrictions on use 1.3. Recommended use : Nuclear stain Restrictions on use : Other uses 1.4. Supplier's details Leica Microsystems Pty Ltd Suite 2, Level 3, Building A, Talavera Road Macquarie Park - 2113 Australia 1.5. **Emergency phone number Organisation/Company Emergency number** 800-424-9300 ChemTrec International Calls (call collect) +1 703-527-3887 Australia 24 Hr Poisons Information Centre 13 11 26 **SECTION 2: Hazards identification** 2.1. **Classification of the hazardous chemical**

Classification according to the model Work Health and Safety Regulations (WHS Regulations) Flammable liquids, Category 2 H225

2.2. Label elements	
Signal word (GHS-AU)	: Danger
Hazard statements (GHS-AU)	: H225 - Highly flammable liquid and vapour
Precautionary statements (GHS-AU)	 P210 - Keep away from heat, sparks, open flames, hot surfaces. No smoking. P233 - Keep container tightly closed P240 - Ground/bond container and receiving equipment P241 - Use explosion-proof equipment P242 - Use only non-sparking tools P243 - Take precautionary measures against static discharge P280 - Wear protective gloves/protective clothing/eye protection/face protection. P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower P370+P378 - In case of fire: Use dry chemical, foam, or water spray for extinction. P403+P235 - Store in a well-ventilated place. Keep cool P501 - Dispose of contents/container in accordance with all local/regional/national/international regulations

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

Name	CAS-No.	Compound type	%	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
Ethanol	64-17-5		<10	Not classified
methanol	67-56-1		<5	Flam. Liq. 2, H225

Safety Data Sheet

according to the Model Work Health and Safety Regulations

according to the	Model Work Health and Safety Regulations	
SECTION 4	I: First aid measures	
4.1. D	escription of first aid measures	
First-aid mea	asures general	: IF exposed or concerned: Get medical advice/attention.
First-aid mea	asures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid mea	asures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing.
First-aid mea	asures after eye contact	: Rinse eyes with water as a precaution.
First-aid mea	asures after ingestion	: Call a poison center or a doctor if you feel unwell.
4.2. Sy	ymptoms caused by exposure	
No additiona	I information available	
4.3. In	dication of any immediate medical atte	ntion and special treatment needed
Other medic	al advice or treatment	: Treat symptomatically.
SECTION 5	5: Firefighting measures	
5.1. Ex	ktinguishing media	
Suitable exti	nguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Sj	pecial hazards arising from the substance	e or mixture
Fire hazard		: No data available on direct fire hazard.
5.3. Sj	pecial protective equipment and precau	tions for fire-fighters
Protection d	uring firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6	5: Accidental release measures	
6.1. Po	ersonal precautions, protective equipme	ent and emergency procedures
6.1.1. Fo	or non-emergency personnel	
Emergency p	procedures	: Ventilate spillage area. Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. Fo	or emergency responders	
Protective ed	quipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Er	nvironmental precautions	
Avoid release	e to the environment. Notify authorities i	f product enters sewers or public waters.
6.3. N	lethods and material for containment ar	nd cleaning up
Methods for	cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters
SECTION 7	7: Handling and storage, includin	g how the chemical may be safely used
7.1. Pi	recautions for safe handling	
	for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Provide local exhaust or general room ventilation.
Hygiene mea	asures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. C	onditions for safe storage, including any	incompatibilities
Technical me	easures	: Ground/bond container and receiving equipment.
Storage conc	litions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.
SECTION 8: Exposure controls/personal protection		
	ontrol parameters - exposure standards	
Ethanol /6/	1 17 5)	
Ethanol (64		

USA - ACGIH	ACGIH STEL (ppm)	1000 ppm (Ethanol; USA; Short time value; TLV - Adopted
		Value)

Safety Data Sheet

according to the Model Work Health and Safety Regulations

methanol (67-56-1)		
USA - ACGIH	ACGIH TWA (ppm)	200 ppm (Methanol; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
USA - ACGIH	ACGIH STEL (ppm)	250 ppm (Methanol; USA; Short time value; TLV - Adopted Value)

8.2. Monitoring

No additional information available

8.3.	Appropriate engineering controls	
Appropriate engineering controls		: Ensure good ventilation of the work station.
8.4.	Personal protective equipment	
Hand protection		: Protective gloves
Eye protection		: Safety glasses
Skin and body protection		: Wear suitable protective clothing
Respiratory protection		: Wear respiratory protection
Environmental exposure controls		: Avoid release to the environment.

Physical state		
Physical state	:	Liquid
Colour	:	Purple
Odour	:	Alcohol odour
Odour threshold	:	No data available
рН	:	No data available
Relative evaporation rate (butylacetate=1)	:	No data available
Melting point	:	Not applicable
Boiling point	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Flammability (solid, gas)	:	No data available
Vapour pressure	:	No data available
Relative density	:	No data available
Density	:	1.5
Solubility	:	No data available
Log Pow	:	No data available
Viscosity	:	No data available
Explosive properties	:	No data available
Explosive limits	:	No data available
Minimum ignition energy	:	No data available
Fat solubility	:	No data available

SECTION 10: Stability and reactivity		
Chemical stability	: Stable under normal conditions.	
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.	
Conditions to avoid	: Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.	
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.	

Safety Data Sheet

according to the Model Work Health and Safety Regulations

ccording to the Model Work Health and Safety Re	
SECTION 11: Toxicological inform	tion
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Ethanol (64-17-5)	
LD50 oral rat	10740 mg/kg bodyweight (Rat; OECD 401: Acute Oral Toxicity; Experimental value)
LD50 dermal rabbit	> 16000 mg/kg (Rabbit; Literature study)
methanol (67-56-1)	
LD50 oral rat	> 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence)
LD50 dermal rabbit	15800 mg/kg (Rabbit; Literature study)
LC50 inhalation rat (mg/l)	85 mg/l/4h (Rat; Literature study)
LC50 inhalation rat (ppm)	64000 ppm/4h (Rat; Literature study)
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Harris Haematoxylin	
Density	1.5

SECTION 12: Ecological information

According to the National Code of Practice for the Preparation of Material Safety Data Sheets, Environmental classification information is not mandatory. Information relevant for GHS classification is available on request

12.1. Ecotoxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Not classified

12.2. Persistence and degradability		
Ethanol (64-17-5)		
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil.	
Biochemical oxygen demand (BOD)	0.8 - 0.967 g O₂/g substance	
Chemical oxygen demand (COD)	1.7 g O ₂ /g substance	
ThOD	2.1 g O ₂ /g substance	
BOD (% of ThOD)	0.43	
methanol (67-56-1)		
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil.	
Biochemical oxygen demand (BOD)	0.6 - 1.12 g O ₂ /g substance	
Chemical oxygen demand (COD)	1.42 g O ₂ /g substance	
ThOD	1.5 g O ₂ /g substance	
BOD (% of ThOD)	0.8 (Literature study)	
12.3. Bioaccumulative potential		
Ethanol (64-17-5)		
BCF fish 1	See section 12.1 on ecotoxicology	
Log Pow	See section 12.1 on ecotoxicology	

Safety Data Sheet

according to the Model Work Health and Safety Regulations

Ethanol (64-17-5)	
Log Koc	See section 12.1 on ecotoxicology
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
methanol (67-56-1)	
BCF fish 1	See section 12.1 on ecotoxicology
Log Pow	See section 12.1 on ecotoxicology
Log Koc	See section 12.1 on ecotoxicology
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
12.4. Mobility in soil	

Ethanol (64-17-5)	
Surface tension	0.022 N/m (20 °C)
Log Pow	See section 12.1 on ecotoxicology
Log Koc	See section 12.1 on ecotoxicology
methanol (67-56-1)	
Surface tension	0.023 N/m (20 °C)
Log Pow	See section 12.1 on ecotoxicology
Log Koc	See section 12.1 on ecotoxicology

Log Ko	c	See section 12.1 on ecotoxicology
12.5.	Other adverse effects	
Ozone		: Not classified
Other ad	verse effects	: No additional information available

SECTION 13: Disposal considerations		
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	
SECTION 14: Transport information		
14.1. UN number		
Not regulated for transport		
14.2. Proper Shipping Name - Addition		
Not applicable		
14.3. Transport hazard class(es)		
IMDG		
Transport hazard class(es) (IMDG)	: Not applicable	
ΙΑΤΑ		
Transport hazard class(es) (IATA)	: Not applicable	
14.4. Packing group		
Packing group (IMDG)	: Not applicable	
Packing group (IATA)	: Not applicable	
14.5. Environmental hazards		
Marine pollutant	: No	
14.6. Special precautions for user		
Specific storage requirement	: No data available	
Shock sensitivity	: No data available	
14.7. Additional information		
Other information	: No supplementary information available	
Transport by road and rail		
Not applicable		
Transport by sea		
Not applicable		
20/11/2018	EN (English)	5/6

Safety Data Sheet

according to the Model Work Health and Safety Regulations

according to the Model Work Health and	arety Regulations
Air transport	
Not applicable	
14.8. Hazchem or Emergency	Action Code
Hazchemcode	: Not applicable
SECTION 15: Regulatory inf	rmation
15.1. Safety, health and envi	onmental regulations/legislation specific for the substance or mixture
No additional information availabl	
15.2. International agreeme	s
No additional information availabl	
SECTION 16: Any other rele	ant information
Revision date	: 15/11/2018
Classification:	
Flam. Liq. 2	H225
Full text of H-statements:	
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour

SDS Australia Leica

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product