

Safety Data Sheet

according to the Model Work Health and Safety Regulations

Date of issue: 04/09/2018 Revision date: 04/09/2018 Version: 1.0

SECTION 1: Identification: Product identifier and chemical identity

1.1. Product identifier

Trade name : Micromount

Product code : 3801730, 3801731, 3801732, 3801730E, 3801731E, 3801732E

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use : For use when mounting coverglass on top of a prepared specimen

Restrictions on use : Other uses

1.4. Supplier's details

Leica Microsystems Pty Ltd

Suite 2, Level 3, Building A, Talavera Road

Macquarie Park - 2113 Australia

1.5. Emergency phone number

Organisation/Company	Emergency number
ChemTrec	800-424-9300
International Calls (call collect)	+1 703-527-3887
Australia 24 Hr Poisons Information Centre	13 11 26

SECTION 2: Hazards identification

2.1. Classification of the hazardous chemical

Classification according to the model Work Health and Safety Regulations (WHS Regulations)

Flammable liquids, Category 1 H224

2.2. Label elements

Signal word (GHS-AU) : Danger

Hazard statements (GHS-AU) : H224 - Extremely flammable liquid and vapour

Precautionary statements (GHS-AU) : P210 - Keep away from heat, sparks, open flames, hot surfaces. No smoking.

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof equipment P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse

skin with water/shower

P370+P378 - In case of fire: Use dry chemical, foam, or water spray for extinction.

P403+P235 - Store in a well-ventilated place. Keep cool

P501 - Dispose of contents/container in accordance with all local/regional/national/international

regulations

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

Name	CAS-No.	Compound type	%	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
Toluene	108-88-3		< 35	Not classified
Xylene	1330-20-7		< 20	Not classified
Ethylbenzene	100-41-4		< 5	Not classified

04/09/2018 EN (English) 1/6

Safety Data Sheet

according to the Model Work Health and Safety Regulations

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation

occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Symptoms caused by exposure

Symptoms/effects : May cause drowsiness or dizziness.

Symptoms/effects after skin contact : Irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Other medical advice or treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe mist/vapours/spray.

Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to

section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.

SECTION 7: Handling and storage, including how the chemical may be safely used

7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist/vapours/spray.

Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters - exposure standards

Xylene (1330-20-7)		
USA - ACGIH	ACGIH TWA (ppm)	100 ppm

04/09/2018 EN (English) 2/6

Safety Data Sheet

according to the Model Work Health and Safety Regulations

Xylene (1330-20-7)		
USA - ACGIH	ACGIH STEL (ppm)	150 ppm
USA - ACGIH	Remark (ACGIH)	URT & eye irr; CNS impair

Ethylbenzene (100-41-4)		
USA - ACGIH	ACGIH TWA (ppm)	20 ppm (Ethyl benzene; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
USA - ACGIH	Remark (ACGIH)	URT irr; kidney dam (nephropathy)

Exposure limit values for the other components

8.2. **Monitoring**

Odour threshold

No additional information available

Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Personal protective equipment

: Protective gloves Hand protection Eye protection : Safety glasses

: Wear suitable protective clothing Skin and body protection

: In case of insufficient ventilation, wear suitable respiratory equipment Respiratory protection

Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

Physical state : Liquid Colour : Colourless Odour : Pungent

: No data available No data available Relative evaporation rate (butylacetate=1) : No data available : Not applicable Melting point **Boiling** point : No data available Flash point : 44 °F /7 °C Auto-ignition temperature No data available Flammability (solid, gas) : No data available : No data available Vapour pressure Relative density : No data available

Density : 0.93

Solubility : No data available Log Pow : No data available : No data available Viscosity **Explosive properties** : No data available **Explosive limits** : No data available : No data available Minimum ignition energy Fat solubility : No data available

SECTION 10: Stability and reactivity

Reactivity : Highly flammable liquid and vapour. Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reactions known under normal conditions of use.

Conditions to avoid : Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

04/09/2018 EN (English) 3/6

Safety Data Sheet

Skin corrosion/irritation

according to the Model Work Health and Safety Regulations

Hazardous decomposition products

 $: \ \ Under \ normal \ conditions \ of \ storage \ and \ use, \ hazardous \ decomposition \ products \ should \ not \ be$

produced.

: Not classified

0.93

SECTION 11: Toxicological information

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Ethylbenzene (100-41-4)	
LD50 oral rat	3500 mg/kg (Rat; Other; Experimental value)
LD50 dermal rabbit	15415 mg/kg (Rabbit; Literature study; Other; 15432 mg/kg; Rabbit; Experimental value)
LC50 inhalation rat (mg/l)	17.8 mg/l/4h (Rat; Literature study)
LC50 inhalation rat (ppm)	4000 ppm/4h (Rat; Literature study)

Serious eye damage/irritation : Not classified
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified

STOT-repeated exposure : Not classified
Aspiration hazard : Not classified

Density		

SECTION 12: Ecological information

According to the National Code of Practice for the Preparation of Material Safety Data Sheets, Environmental classification information is not mandatory. Information relevant for GHS classification is available on request

12.1. Ecotoxicity

Micromount

Ecology - general : Harmful to aquatic life.

Acute aquatic toxicity : Not classified Chronic aquatic toxicity : Not classified

12.2. Persistence and degradability

Ethylbenzene (100-41-4)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Low potential for adsorption in soil.
Biochemical oxygen demand (BOD)	1.44 g O₂/g substance (20d.)
Chemical oxygen demand (COD)	2.1 g O₂/g substance
ThOD	3.17 g O₂/g substance
BOD (% of ThOD)	45.4 (20 days)

12.3. Bioaccumulative potential

Ethylbenzene (100-41-4)	
BCF fish 1	See section 12.1 on ecotoxicology
BCF fish 2	See section 12.1 on ecotoxicology
BCF other aquatic organisms 1	See section 12.1 on ecotoxicology
Log Pow	See section 12.1 on ecotoxicology
Log Koc	See section 12.1 on ecotoxicology
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

12.4. Mobility in soil

Ethylbenzene (100-41-4)	
Surface tension	0.029 N/m
Log Pow	See section 12.1 on ecotoxicology

04/09/2018 EN (English) 4/6

Safety Data Sheet

according to the Model Work Health and Safety Regulations

Ethylbenzene (100-41-4)		
Log Ko	oc	See section 12.1 on ecotoxicology
12.5.	Other adverse effects	

Ozone : Not classified

Other adverse effects : No additional information available

SECTION 13: Disposal considerations

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

14.1. UN number

UN-No. (IMDG) : 1993 UN-No. (IATA) : 1993

14.2. Proper Shipping Name - Addition

Proper Shipping Name (IMDG) : FLAMMABLE LIQUID, N.O.S.
Proper Shipping Name (IATA) : Flammable liquid, n.o.s.

14.3. Transport hazard class(es)

IMDG

Transport hazard class(es) (IMDG) : 3
Danger labels (IMDG) : 3

:



IATA

Transport hazard class(es) (IATA) : 3
Hazard labels (IATA) : 3

:



14.4. Packing group

Packing group (IMDG) : II
Packing group (IATA) : II

14.5. Environmental hazards

Marine pollutant : No

14.6. Special precautions for user

Specific storage requirement : No data available
Shock sensitivity : No data available

14.7. Additional information

Other information : No supplementary information available

Transport by road and rail

Not applicable

Transport by sea

UN-No. (IMDG) : 1993 Special provisions (IMDG) : 274 Limited quantities (IMDG) : 1 L

04/09/2018 EN (English) 5/6

Safety Data Sheet

according to the Model Work Health and Safety Regulations

Excepted quantities (IMDG) : E2
Packing instructions (IMDG) : P001
IBC packing instructions (IMDG) : IBC02
Tank instructions (IMDG) : T7

Tank special provisions (IMDG) : TP1, TP8, TP28

EmS-No. (Fire) : F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS

EmS-No. (Spillage) : S-E - SPILLAGE SCHEDULE Echo - FLAMMABLE LIQUIDS, FLOATING ON WATER

Stowage category (IMDG) : B

Air transport

UN-No. (IATA) : 1993 PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y341 PCA limited quantity max net quantity (IATA) : 1L PCA packing instructions (IATA) : 353 PCA max net quantity (IATA) : 5L CAO packing instructions (IATA) : 364 CAO max net quantity (IATA) : 60L Special provisions (IATA) : A3 : 3H ERG code (IATA)

14.8. Hazchem or Emergency Action Code

Hazchemcode : Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No additional information available

15.2. International agreements

No additional information available

SECTION 16: Any other relevant information

Revision date : 04/09/2018

Classification:

Flam. Liq. 1 H224

Full text of H-statements:

Tuli text of it statements.		
	Flam. Liq. 1	Flammable liquids, Category 1
	H224	Extremely flammable liguid and vapour

SDS Australia Leica

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

04/09/2018 EN (English) 6/6