

Safety Data Sheet

according to the Model Work Health and Safety Regulations

Date of issue: 22/08/2022 Revision date: 22/08/2022

SECTION 1: Identification: Product identifier and chemical identity

1.1. Product identifier

Trade name : Acid Alcohol 1%

Product code : 3803650, 3803651, 3803651E

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use : Differentiating solution

Restrictions on use : Other uses

1.4. Supplier's details

Leica Microsystems Pty Ltd EBOS International 108 Wrights Road, Addington PO Box 411 Christchurch
Suite 2, Level 3, Building A, Talavera Road NEW ZEALAND Ph +64 3 338 0999
Macquarie Park - 2113 Australia Fax +64 3 339 5111

1.5. Emergency phone number

Organisation/Company	Emergency number
ChemTrec	800-424-9300
International Calls (call collect)	+1 703-527-3887
Australia 24 Hr Poisons Information Centre	13 11 26
New Zealand National Poisons Centre	0800 764 766

www.ebos.co.nz

SECTION 2: Hazards identification

2.1. Classification of the hazardous chemical

Classification according to the model Work Health and Safety Regulations (WHS Regulations)

Flammable liquids, Category 1 H224
Skin corrosion/irritation, Category 1A H314

2.2. Label elements

Signal word (GHS-AU) : Danger

Hazard statements (GHS-AU) : H224 - Extremely flammable liquid and vapour

H314 - Causes severe skin burns and eye damage

Precautionary statements (GHS-AU) : P210 - Keep away from heat, sparks, open flames, hot surfaces. No smoking.

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof equipment P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P260 - Do not breathe mist/vapours/spray. P264 - Wash thoroughly after handling

 ${\tt P280-Wear\ protective\ gloves/protective\ clothing/eye\ protection/face\ protection}.$

P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse

Version: 1.2

skin with water/shower

 ${\it P304+P340-IF\ INHALED: remove\ victim\ to\ fresh\ air\ and\ keep\ at\ rest\ in\ a\ position\ comfortable\ for}$

breathing

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing

 ${\tt P310-Immediately\ call\ a\ POISON\ CENTER\ or\ doctor/physician}$

P321 - Specific treatment (see supplemental first aid instruction on this label)

P363 - Wash contaminated clothing before reuse

P370+P378 - In case of fire: Use dry chemical, foam, or water spray for extinction.

P403+P235 - Store in a well-ventilated place. Keep cool

P405 - Store locked up

P501 - Dispose of contents/container in accordance with all local/regional/national/international

regulations

2.3. Other hazards

No additional information available

22/08/2022 EN (English) 1/8

Safety Data Sheet

according to the Model Work Health and Safety Regulations

SECTION 3: Composition/information on ingredients

Name	CAS-No.	Compound type	%	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
Ethanol	64-17-5		< 65	Not classified
methanol	67-56-1		< 5	Flam. Liq. 2, H225
Isopropanol	67-63-0		< 5	Not classified
Hydrochloric Acid	7647-01-0		<1	Not classified

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a physician

immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Symptoms caused by exposure

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Other medical advice or treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : No open flames, no sparks, and no smoking. Only qualified personnel equipped with suitable protective

equipment may intervene.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to

section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.

SECTION 7: Handling and storage, including how the chemical may be safely used

7.1. Precautions for safe handling

Additional hazards when processed : In the United States, refer to OSHA 1910.1048 for requirements for handling of formaldehyde solutions.

22/08/2022 EN (English) 2/8

Safety Data Sheet

according to the Model Work Health and Safety Regulations

Precautions for safe handling

: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Avoid contact with skin and eyes.

Hygiene measures

Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters - exposure standards

Ethanol (64-17-5)		
USA - ACGIH	ACGIH STEL (ppm)	1000 ppm (Ethanol; USA; Short time value; TLV - Adopted
		Value)

Isopropanol (67-63-0)		
USA - ACGIH	ACGIH TWA (ppm)	200 ppm (2-propanol; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
USA - ACGIH	ACGIH STEL (ppm)	400 ppm (2-propanol; USA; Short time value; TLV - Adopted Value)
USA - ACGIH	Remark (ACGIH)	Eye & URT irr; CNS impair

methanol (67-56-1)		
USA - ACGIH	ACGIH TWA (ppm)	200 ppm (Methanol; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
USA - ACGIH	ACGIH STEL (ppm)	250 ppm (Methanol; USA; Short time value; TLV - Adopted Value)

Hydrochloric Acid (7647-01-0)		
USA - ACGIH ACGIH Ceiling (ppm) 2 ppm		
USA - ACGIH	Remark (ACGIH)	URT irr

Exposure limit values for the other components

8.2. Monitoring

No additional information available

8.3. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

8.4. Personal protective equipment

Hand protection : Protective gloves

Eye protection : Safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear respiratory protection. None needed with adequate ventilation. If the occupational exposure limit

is exceeded, use an approved organic vapor respirator. Selection of respiratory protection depends on the contaminant type, form, and concentration. Select in accordance with OSHA 1910.134 or other

applicable regulations and good industrial hygiene practice.

Environmental exposure controls : Avoid release to the environment.

22/08/2022 EN (English) 3/8

Safety Data Sheet

according to the Model Work Health and Safety Regulations

SECTION 9: Physical and chemical properties

Physical state : Liquid

Colour : Colourless

Odour : Alcohol odour

Odour threshold : No data available

pH : 1.1 - 1.4

Relative evaporation rate (butylacetate=1) : No data available Melting point Not applicable **Boiling** point : No data available Flash point : 71 °F / 21°C Auto-ignition temperature No data available Flammability (solid, gas) : No data available Vapour pressure : No data available Relative density : No data available

Density : 0.79

Solubility : No data available
Log Pow : No data available
Viscosity : No data available
Explosive properties : No data available
Explosive limits : No data available
Minimum ignition energy : No data available
Fat solubility : No data available

SECTION 10: Stability and reactivity

Reactivity : Highly flammable liquid and vapour.
Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reactions known under normal conditions of use.

Conditions to avoid : Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

SECTION 11: Toxicological information

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Ethanol (64-17-5)	
LD50 oral rat	10740 mg/kg bodyweight (Rat; OECD 401: Acute Oral Toxicity; Experimental value)
LD50 dermal rabbit	> 16000 mg/kg (Rabbit; Literature study)
Isopropanol (67-63-0)	
LD50 dermal rabbit	12870 mg/kg (Rabbit; Experimental value; Equivalent or similar to OECD 402; 16.4; Rabbit)
LC50 inhalation rat (mg/l)	73 mg/l/4h (Rat)
methanol (67-56-1)	
LD50 oral rat	> 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence)
LD50 dermal rabbit	15800 mg/kg (Rabbit; Literature study)
LC50 inhalation rat (mg/l)	85 mg/l/4h (Rat; Literature study)
LC50 inhalation rat (ppm)	64000 ppm/4h (Rat; Literature study)

Skin corrosion/irritation : Causes severe skin burns and eye damage.

 $pH: 1.1 - 1.4 \\ Serious eye damage/irritation : pH: 1.1 - 1.4 \\ Respiratory or skin sensitisation : Not classified \\ Germ cell mutagenicity : Not classified$

22/08/2022 EN (English) 4/8

Safety Data Sheet

according to the Model Work Health and Safety Regulations

Carcinogenicity : Not classified

Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified

Acid Alcohol 1%

Density 0.79

SECTION 12: Ecological information

According to the National Code of Practice for the Preparation of Material Safety Data Sheets, Environmental classification information is not mandatory. Information relevant for GHS classification is available on request

12.1. Ecotoxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

Acute aquatic toxicity : Not classified Chronic aquatic toxicity : Not classified

12.2. Persistence and degradability

Ethanol (64-17-5)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil.
Biochemical oxygen demand (BOD)	0.8 - 0.967 g O₂/g substance
Chemical oxygen demand (COD)	1.7 g O₂/g substance
ThOD	2.1 g O₂/g substance
BOD (% of ThOD)	0.43

Isopropanol (67-63-0)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. No (test)data on mobility of the substance available.
Biochemical oxygen demand (BOD)	1.19 g O₂/g substance
Chemical oxygen demand (COD)	2.23 g O₂/g substance
ThOD	2.4 g O₂/g substance

methanol (67-56-1)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil.
Biochemical oxygen demand (BOD)	$0.6 - 1.12$ g O_2 /g substance
Chemical oxygen demand (COD)	1.42 g O ₂ /g substance
ThOD	1.5 g O₂/g substance
BOD (% of ThOD)	0.8 (Literature study)

12.3. Bioaccumulative potential

Ethanol (64-17-5)	
BCF fish 1	See section 12.1 on ecotoxicology
Log Pow	See section 12.1 on ecotoxicology
Log Koc	See section 12.1 on ecotoxicology
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
Isopropanol (67-63-0)	
Log Pow	See section 12.1 on ecotoxicology
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
methanol (67-56-1)	
BCF fish 1	See section 12.1 on ecotoxicology
Log Pow	See section 12.1 on ecotoxicology
Log Koc	See section 12.1 on ecotoxicology
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

12.4. Mobility in soil

22/08/2022 EN (English) 5/8

Safety Data Sheet

according to the Model Work Health and Safety Regulations

Ethanol (64-17-5)	
Surface tension	0.022 N/m (20 °C)
Log Pow	See section 12.1 on ecotoxicology
Log Koc	See section 12.1 on ecotoxicology
Isopropanol (67-63-0)	
Surface tension	0.021 N/m (25 °C)
Log Pow	See section 12.1 on ecotoxicology
methanol (67-56-1)	
Surface tension	0.023 N/m (20 °C)
Log Pow	See section 12.1 on ecotoxicology
Log Koc	See section 12.1 on ecotoxicology

12.5. Other adverse effects

: Not classified Ozone

Other adverse effects : No additional information available

SECTION 13: Disposal considerations

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

14.1. **UN** number

UN-No. (IMDG) : 2924 UN-No. (IATA) : 2924

Proper Shipping Name - Addition

Proper Shipping Name (IMDG) : FLAMMABLE LIQUID, CORROSIVE, N.O.S. Proper Shipping Name (IATA) : Flammable liquid, corrosive, n.o.s.

Transport hazard class(es) 14.3.

IMDG

Transport hazard class(es) (IMDG) : 3 (8) Danger labels (IMDG) 3,8



IATA

Transport hazard class(es) (IATA) : 3 (8) Hazard labels (IATA)

3, 8



Packing group

Packing group (IMDG) : 11 Packing group (IATA) : 11

14.5. **Environmental hazards**

Marine pollutant : No

Special precautions for user

Specific storage requirement : No data available Shock sensitivity : No data available

EN (English) 6/8 22/08/2022

Safety Data Sheet

according to the Model Work Health and Safety Regulations

14.7. Additional information

Other information : No supplementary information available

Transport by road and rail

Not applicable

Transport by sea

UN-No. (IMDG) : 2924 : 274 Special provisions (IMDG) Limited quantities (IMDG) : 1L Excepted quantities (IMDG) : E2 Packing instructions (IMDG) : P001 IBC packing instructions (IMDG) : IBC02 Tank instructions (IMDG) : T11 : TP2, TP27 Tank special provisions (IMDG)

EmS-No. (Fire) : F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS
EmS-No. (Spillage) : S-C - SPILLAGE SCHEDULE Charlie - FLAMMABLE CORROSIVE LIQUIDS

Stowage category (IMDG) : B

Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes.

Air transport

UN-No. (IATA) : 2924 PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y340 PCA limited quantity max net quantity (IATA) : 0.5L PCA packing instructions (IATA) : 352 PCA max net quantity (IATA) : 1L CAO packing instructions (IATA) : 363 CAO max net quantity (IATA) : 5L Special provisions (IATA) : A3 ERG code (IATA) : 3CH

14.8. Hazchem or Emergency Action Code

Hazchemcode : Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Number: HSR002596

15.2. International agreements

No additional information available

SECTION 16: Any other relevant information

Revision date : 22/08/2022

Classification:

Flam. Liq. 1	H224
Skin Corr. 1A	H314

Full text of H-statements:

Flam. Liq. 1	Flammable liquids, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
H224	Extremely flammable liquid and vapour
H225	Highly flammable liquid and vapour
H314	Causes severe skin burns and eye damage

SDS Australia Leica

22/08/2022 EN (English) 7/8

Safety Data Sheet

according to the Model Work Health and Safety Regulations

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

13/07/2022 EN (English) 8/8